

TCS Series

Industrial Platform Scale

- On – Off – Zero/Tare buttons
- Easy to read Red-LED display
- Tare facility – 100% of capacity
- Rechargeable battery or mains
- Internal AC adaptor
- Auto shut off
- Full stainless steel platform and cover
- Stainless steel pillar
- ABS indicator housing – pillar mounted



Model	Capacity	Divisions	Optional Div	Pan Size
TCS-A 30	30 kg	5g	2g	300 x 400mm
TCS-A 60	60 kg	10g	5g	400 x 500mm
TCS-A 150	150 kg	20g	10g	400 x 500mm
TCS-A 300	300 kg	50g	50g	450 x 600mm

Contact

www.effectivelab.co.za • info@effectivelab.co.za • Telephone: (011) 434-1450/1/2 • Fax: (011) 683-1752



EFFECTIVE LABORATORY SUPPLIES CC

Scales

PS Series

INDUSTRIAL PLATFORM SCALE

- Ensures efficient weighing in the toughest environment
- ABS tough housing
- Tare facility – keyboard entry 100% of capacity
- Rechargeable battery or mains
- Large LCD display
- Low battery indication
- Battery saving feature
- Mild steel platform with stainless steel cover
- ABS indicator housing – pillar mounted
- SABS approves
- Legal for trade use



Model	Capacity	Divisions	Pan Size	Program Settings	Power
PS 30	30 kg	10g	300 x 400mm	Capacity, Grad size, Decimal Point, Auto Off, Backlit display, Print Modes (Manual-Auto-Continuous)	AC 220V 50Hz, DC9V/500mA 100 hours of continuous battery use
PS 60	60 kg	20g	400 x 500mm		
PS 150	150 kg	50g	400 x 500mm		
PS 300	300 kg	100g	450 x 600mm		

Contact

www.effectivelab.co.za • info@effectivelab.co.za • Telephone: (011) 434-1450/1/2 • Fax: (011) 683-1752



HJ(R)-K Series

TUNING FORK PLATFORM SCALE

- All stainless steel body
- Waterproof IP65
- CAL advisor
- ISO/GLP/GMP
- Comparator function
- Counting function
- Percentage function
- Accumulation function
- Tare memory
- Calender and Clock
- Readability selection
- Unit weight value display
- Gross weight display
- Auto-sleep
- Auto-power off (with rechargeable battery option)
- Underweighing

Model	Capacity	Readability	Repeatability (s)	Non-Linearity (type)	Weight Approx.
HJ-17KE	17000g	0.1g	-	-	17.6 kg
HJ-22KE	22000g	0.1g	0.1g	±0.3g	16.6 kg
HJ-33KE	33000g	0.1g	-	-	17.6 kg
HJ-62KDE	6200/62000g	0.1g/1g	0.1g/0.7g	±0.3g/±1g	16.6 kg

Please note: the following code alternatives:

- HJ-**KE Pole type
- HJ-**KSE Separate type
- HJ-**KCE With EC approval (pole)
- HJ-**KSCE With EC approval (separate)

Contact

www.effectivelab.co.za • info@effectivelab.co.za • Telephone: (011) 434-1450/1/2 • Fax: (011) 683-1752

PS2 Series

Industrial Platform Scale



- ABS tough housing
- Tare facility – 100% of capacity
- Rechargeable battery or mains
- Large LCD display
- Low battery indication
- Battery saving feature
- Basic counting function
- Mild steel platform with stainless steel cover
- Pillar mounted display on swivel bracket
- SABS approved
- Legal for trade use

Model	Capacity	Divisions	Pan Size	Program Settings	Power
PS2-30	30 kg	10g	300 x 400mm	Capacity, Grad size, Decimal Point, Auto Off, Backlit display	AC 220V 50Hz, DC9V/500mA 100 hours of continuous battery use
PS2-60	60 kg	20g	400 x 500mm		
PS2-150	150 kg	50g	400 x 500mm		
PS-2300	300 kg	100g	450 x 600mm		

Contact




AHW

Weighing Scale

- Large and Clear LCD Display
- Large stainless steel Platter
- Hi/Lo check weighing with alarm
- Counting and Percentage function
- Gross/Net/Tare weight on display
- Max 30 000 divisions
- Real time and date
- kg/lb conversion
- Label printing
- Pre-tare input

Model	Capacity	d=	Accuracy	Dimensions (mm)	Power	Functions	Printing
AHW 3kg	30 kg	0.1g	1/30000	387 x 365 x 117	9V/500mA, AC adapter; built-in 6V Rechargeable Battery	Weighing, Counting, Percentage, Hi/Lo	Date, Time, Gross, Tare, Net Totals
AHW 6kg	60 kg	0.2g	1/30000	Platter			
AHW 30kg	150 kg	0.3g	1/30000	245 x 355			

Contact



EFFECTIVE LABORATORY SUPPLIES CO

Scales

FG SERIES

Fast Weighing Response for
Efficient Weighing Application



Model	Capacity	Resolution	Pan Size (mm) W x D
FG-30KAM	30 kg	0.01 / 0.005 / 0.002 kg	300 x 380
FG-60KAM	60 kg	0.02 / 0.01 / 0.005 kg	
FG150KAM	150kg	0.05 / 0.02 / 0.01 kg	
FG-30KBM	30 kg	0.01 / 0.005 / 0.002 kg	
FG-60KBM	60 kg	0.02 / 0.01 / 0.005 kg	
FG150KBM	150kg	0.05 / 0.02 / 0.01 kg	390 x 530
FG-60KAL	60 kg	0.02 / 0.01 / 0.005 kg	
FG-150KAL	150kg	0.05 / 0.02 / 0.01 kg	

Contact

www.effectivelab.co.za • info@effectivelab.co.za • Telephone: (011) 434-1450/1/2 • Fax: (011) 683-1752